Lubricating the Running Belt

Tools Needed:

- •Blue Handled T-Wrench or Allen Wrench
- •100% Silicone Oil 1000 weight viscosity

Procedure:

1) turn treadmill off, and unplug from the wall.


2) Using the T-Wrench or Allen Wrench loosen the rear roller bolts 10-12 counter-clockwise turns. This should give you enough slack in the running belt to get your hands underneath it.

3) Lift up the running belt as far as you can, then squirt the silicone oil in a zig-zag pattern across the entire running deck surface. It is best to use the entire bottle (40-50ml) of silicone that is supplied by Horizon Fitness. [Do not apply silicone oil to the Running Belt]

4) Lay the running belt down, and then tighten the rear roller bolts clockwise the same number of turns you had done in step 2.

5) Plug unit into wall, flip power switch on then press start. Let the unit run for 3 minutes. Then walk on the unit for another 3 minutes, This will help spread the silicone oil across the running deck.

6) Wipe off any excess silicone oil that may have seeped out from underneath the running belt with a damp cloth.



or Infinity Decks.This can cause increased friction.

Do not lubricate Infinity Belts


To purchase additional bottles of silicone oil please visit www.horizonfitness.com or call Customer tech support at 1.800.244.4192

Waxing the Running Deck

Tools Needed:

- •Blue Handled T-Wrench or Allen Wrench
- •Paraffin Wax

serial numbers with a manufactures date prior to November 1. 2002



Procedure:

1) Turn treadmill on and let it run at the highest speed for approximately 2 minutes.

2) Turn machine off.

3) Loosen belt by turning left and right roller bolts counter clockwise for 10 complete turns using your T-Wrench/Alan wrench.

Note the positions of each bolt on both sides, as you will want to return them to the same position.

4) Lift the running belt to expose deck. Apply paraffin wax to deck from front to rear, making sure to cover entire surface of deck usually covered by the belt.

5) Tighten the belt on both sides by turning the bolts clockwise and positioning them as they were before you loosened them.

6) Turn your treadmill on and let it run at the highest speed for approximately 2 minutes to evenly distribute the wax.

Please be aware that over-waxing your belt could cause unwanted problems. It is important to run the treadmill for a few minutes after applying the wax to evenly distribute the wax.